

NSF Erdmann Analytics GmbH • Amselweg 5 • 33378 Rheda-Wiedenbrück

VALVIS HOLDING SA  
 Claudia Tocila  
 Ion Slatineanu Street, no.20, sector 1

010602 Bucharest  
 ROMANIA



Rheda-Wiedenbrück, 19.01.2018

## Examination Report to order no 17W1736

**Sample item:** ICE CANYON, NATURAL SPRING WATER  
**Sampling date (/ time):** Not reported  
**Sampler:** customer  
**Date of receipt:** 15.12.2017  
**Examination period:** 15.12.2017 - 19.01.2018  
**Notice:** 500ml- bottle: plastic; cap: plastic;  
 MHD, LOT 080619 XO 302 00:23

### Examined samples:

Sample ID	Description	Examination Type
17W1736.01	ICE CANYON, NATURAL SPRING WATER	Chemical examination

### Chemical examination

Sample no	17W1736.01	ICE CANYON, NATURAL SPRING WATER	Limit	Unit of m.	Result	LOQ
		pH-value (DIN EN ISO 10523)			6,8	
		Electrical conductivity at 25°C (DIN EN 27888 C8)		µS/cm	52	3
		Chloride (DIN EN ISO 10304-1)		mg/l	<2,0	2,0
		Nitrate (DIN EN ISO 10304-1)		mg/l	0,39	0,05
		Sulfate (DIN EN ISO 10304-1)		mg/l	<2,0	2,0
		Bicarbonat (HCO <sub>3</sub> ) (DEV D8)		mg/l	37	3
		Calcium (DIN EN ISO 17294-1 (E29))		mg/l	5,7	0,2
		Potassium (DIN EN ISO 17294-1 (E29))		mg/l	1,3	0,1
		Magnesium (DIN EN ISO 17294-1 (E29))		mg/l	2,4	0,1
		Sodium (DIN EN ISO 17294-1 (E29))		mg/l	2,5	0,1
		TDS (calculated)		mg/l	31	

WW=hot water, KW=cold water, WB=washbasin, DK=shower head, HMB=lever mixer tap, TMB=thermostatic mixer tap,  
 WWB=hot water boiler, ZV=extraction valve  
 LOQ = Limit of quantification

### Page 1 of 2 to examination report, order no: 17W1736

The above examination results do only refer to the examined samples. Publication and copy has to be authorized by the institute.

**General manager:**  
 Dr. Thomas Wilke,  
 Michael P. Walsh, Lesley Chipper

**Amtsgericht Gütersloh**  
 HRB Nr. 67 41  
 Steuer-Nr. 347 / 5842 / 1119

**Kreissparkasse Wiedenbrück**  
 IBAN: DE59 4785 3520 0002 0362 34  
 SWIFT-BIC: WELADED1WDB

**Südwestbank Stuttgart**  
 IBAN: DE61 6009 0700 0514 5800 03  
 SWIFT-BIC: SWBSD333

---

Sabrina Ryll  
Certified biologist  
Head of department water analysis

All examinations performed with this samples are standardized methods  
(DIN, ISO and validated own methods).

---

**Page 2 of 2 to examination report, order no: 17W1736**

The above examination results do only refer to the examined samples. Publication and copy has to be authorized by the institute.

**General manager:**  
Dr. Thomas Wilke,  
Michael P. Walsh, Lesley Chipper

**Amtsgericht Gütersloh**  
HRB Nr. 67 41  
Steuer-Nr. 347 / 5842 / 1119

**Kreissparkasse Wiedenbrück**  
IBAN: DE59 4785 3520 0002 0362 34  
SWIFT-BIC: WELADED1WDB

**Südwestbank Stuttgart**  
IBAN: DE61 6009 0700 0514 5800 03  
SWIFT-BIC: SWBSESS