

NSF Erdmann Analytics GmbH • Amselweg 5 • 33378 Rheda-Wiedenbrück

VALVIS HOLDING SA  
 Claudia Tocila  
 Ion Slatineanu Street, no.20, sector 1

010602 Bucharest  
 ROMANIA



Rheda-Wiedenbrück, 28.11.2017

## Examination Report to order no 17W1640

**Sample item:** La Croix, natural PURE SPARKLING WATER  
**Sampling date (/ time):** Not reported  
**Sampler:** customer  
**Date of receipt:** 12.10.2017  
**Examination period:** 12.10.2017 - 28.11.2017  
**Notice:** Bottle: metal; cap: metal; 3x355ml; MHD, LOT: 071718LAA1128

### Examined samples:

Sample ID	Description	Examination Type
17W1640.01	La Croix, natural PURE SPARKLING WATER	Chemical examination

### Chemical examination

Sample no	17W1640.01	La Croix, natural PURE SPARKLING WATER	Limit	Unit of m.	Result	LOQ
pH-value (DIN EN ISO 10523)					4,0	
Electrical conductivity at 25°C (DIN EN 27888 C8)				µS/cm	45	3
Chloride (DIN EN ISO 10304-1)				mg/l	<2,0	2,0
Nitrate (DIN EN ISO 10304-1)				mg/l	0,11	0,05
Sulfate (DIN EN ISO 10304-1)				mg/l	<2,0	2,0
Bicarbonat (HCO <sub>3</sub> ) (DEV D8)				mg/l	<3	3
Calcium (DIN EN ISO 17294-2 (E29))				mg/l	<0,2	0,2
Potassium (DIN EN ISO 17294-2 (E29))				mg/l	<0,1	0,1
Magnesium (DIN EN ISO 17294-2 (E29))				mg/l	<0,1	0,1
Sodium (DIN EN ISO 17294-2 (E29))				mg/l	<0,1	0,1
TDS (calculated)				mg/l	<7,5	7,5

WW=hot water, KW=cold water, WB=washbasin, DK=shower head, HMB=lever mixer tap, TMB=thermostatic mixer tap,  
 WWB=hot water boiler, ZV=extraction valve  
 LOQ = Limit of quantification

### Page 1 of 2 to examination report, order no: 17W1640

The above examination results do only refer to the examined samples. Publication and copy has to be authorized by the institute.

**General manager:**  
 Dr. Thomas Wilke,  
 Michael P. Walsh, Lesley Chipper

**Amtsgericht Gütersloh**  
 HRB Nr. 67 41  
 Steuer-Nr. 347 / 5842 / 1119

**Kreissparkasse Wiedenbrück**  
 IBAN: DE59 4785 3520 0002 0362 34  
 SWIFT-BIC: WELADED1WDB

**Südwestbank Stuttgart**  
 IBAN: DE61 6009 0700 0514 5800 03  
 SWIFT-BIC: SWBSESS

---

Sabrina Ryll  
Certified biologist  
Head of department water analysis

All examinations performed with this samples are standardized methods  
(DIN, ISO and validated own methods).

---

**Page 2 of 2 to examination report, order no: 17W1640**

The above examination results do only refer to the examined samples. Publication and copy has to be authorized by the institute.

**General manager:**  
Dr. Thomas Wilke,  
Michael P. Walsh, Lesley Chipper

**Amtsgericht Gütersloh**  
HRB Nr. 67 41  
Steuer-Nr. 347 / 5842 / 1119

**Kreissparkasse Wiedenbrück**  
IBAN: DE59 4785 3520 0002 0362 34  
SWIFT-BIC: WELADED1WDB

**Südwestbank Stuttgart**  
IBAN: DE61 6009 0700 0514 5800 03  
SWIFT-BIC: SWBSESS